

COMPANY NAME: _____

SPECIFICATIONS BY GROUP

Group 1

FOOTWEAR

Male and Female

SIZES - 4 TO 14

Water Resistant Action Leather Uppers
Slip- and Oil-Resistant Outsole
Meets or Exceeds ASTM 2413-05 I/C Rating
EVA Midsole for EXTRA COMFORT
Extremely Lightweight

Classic Leather Uppers - high gloss
Durable Goodyear Welt Construction
Full Cushion dual density polymer foot bed
Cambrelle lining

Fill-grain leather/1150 denier nylon upper.
Slip, oil, acid resistant outsole.
Cambrelle® moisture wicking lining.
Heel stabilizer board with stoebel
forefoot construction.
3D2 max-comfort contoured insole.
Gusseted tongue.

Group 2

SHIRTS AND BLOUSES

Male and Female

L/S=LONG SLEEVE -- S/S=SHORT SLEEVE

L/S & S/S POLYESTER NAVY UNIFORM SHIRTS

Color: NAVY BLUE
100% Polyester
WEAVE: Poplin
FINISH: Visa System III
STYLE
Plain front, coat style with banded collar.
Fitted to accommodate body armor
Long sleeves with rounded barrel cuffs
Placket front with zipper
Two pleated breast pockets with scalloped flaps and Velcro closures
Bar tacked hidden pencil opening
Shoulder straps
Interior badge sling
Five military creases
Matching polyester sateen neck band and yoke lining
Graduated tail lengths with longer side seams
Rmovable button features
COLLAR AND BAND
Collar points are 3 1/4" in length and top stitched 3/16" from edge

COMPANY NAME: _____

SPECIFICATIONS BY GROUP

interlined with 250 denier Dacron polyester

Band measures 1 3/8" at center back

Fastens with one button and buttonhole

FRONT

Left(men) Right(women) front to have a self fabric center pleat

1 1/2" wide with 2 rows of stitching 1" apart and 6 vertical buttonholes

Top buttonhole 2 3/4" below the neck band and 3 1/2" between buttonholes

Top and bottom buttonholes are function able

Button stand on the right side shall finish 1" wide and edge stitched

Front closes with 14" nylon coil zipper

Stitched military crease centered in each front

SHOULDER STRAPS

Shoulder strap is topstitched 1/16" from the edge and has buttonhole

BADGE REINFORCEMENT

2-ply inside sling 1" wide extending from shoulder joining seam into pocket of left front

Two small uncut horizontal buttonholes 1 1/2" above pocket flap, centered on sling

POCKETS

Two patch pockets with 1 1/2" stitched box pleats and mitered corners

Pockets - 5 1/2" wide and 6" long

Left pocket with sewn through pencil stall 1 1/2" wide

POCKET FLAPS

Velcro hook fasteners 3/4" wide and 3/4" long on flaps

SLEEVES - long

One piece with 2 wrist pleats and 4 1/2" vent opening

1" wide top and bottom plackets

One centered buttonhole

1 1/2" long outline reinforcement stitch

SLEEVES - short

One piece with 1" hem

Men's size 16 finishes 1" from shoulder seam

Women's size 36 finishes 9 1/2" from shoulder seam

CUFFS

Rounded corners

Interlined with 250 denier Dacron polyester

2 buttons and 2 buttonholes

3" wide - 3/16" topstitching

BACK

Two piece yoke lined with 100% polyester

Yoke 3" at center of back, 3 1/2" at ends

1/16" topstitch

Three stitched military creases in the back

BUTTONS

20-ligne melamine button to match fabric

STITCHING

100% polyester core/100% polyester wrap thread

MILITARY CREASES

Two stitched military creases in front and three in back

COMPANY NAME: _____

SPECIFICATIONS BY GROUP

L/S & S/S POLYESTER WHITE UNIFORM SHIRTS

Color: WHITE

100% Polyester

WEAVE: Poplin

FINISH: Visa System III

STYLE

Plain front, coat style with banded collar.

Fitted to accommodate body armor

Long sleeves with rounded barrel cuffs

Placket front with zipper

Two pleated breast pockets with scalloped flaps and Velcro closures

Bar tacked hidden pencil opening

Shoulder straps

Interior badge sling

Five military creases

Matching polyester sateen neck band and yoke lining

Graduated tail lengths with longer side seams

Removable button features

COLLAR AND BAND

Collar points are 3 1/4" in length and top stitched 3/16" from edge

Interlined with 250 denier Dacron polyester

Band measures 1 3/8" at center back

Fastens with one button and buttonhole

FRONT

Left(men) Right(women) front to have a self fabric center pleat

1 1/2" wide with 2 rows of stitching 1" apart and 6 vertical buttonholes

Top buttonhole 2 3/4" below the neck band and 3 1/2" between buttonholes

Top and bottom buttonholes are function able

Button stand on the right side shall finish 1" wide and edge stitched

Front closes with 14" nylon coil zipper

Stitched military crease centered in each front

SHOULDER STRAPS

Shoulder strap is topstitched 1/16" from the edge and has buttonhole

BADGE REINFORCEMENT

2-ply inside sling 1" wide extending from shoulder joining seam into pocket of left front

Two small uncut horizontal buttonholes 1 1/2" above pocket flap, centered on sling

POCKETS

Two patch pockets with 1 1/2" stitched box pleats and mitered corners

Pockets - 5 1/2" wide and 6" long

Left pocket with sewn through pencil stall 1 1/2" wide

POCKET FLAPS

Velcro hook fasteners 3/4" wide and 3/4" long on flaps

SLEEVES - long

One piece with 2 wrist pleats and 4 1/2" vent opening

1" wide top and bottom plackets

One centered buttonhole

1 1/2" long outline reinforcement stitch

SLEEVES - short

One piece with 1" hem

Men's size 16 finishes 1" from shoulder seam

Women's size 36 finishes 9 1/2" from shoulder seam

CUFFS

Rounded corners

Interlined with 250 denier Dacron polyester

2 buttons and 2 buttonholes

COMPANY NAME: _____

SPECIFICATIONS BY GROUP

3" wide - 3/16" topstitching

BACK

Two piece yoke lined with 100% polyester

Yoke 3" at center of back, 3 1/2" at ends

1/16" topstitch

Three stitched military creases in the back

BUTTONS

20-ligne melamine button to match fabric

STITCHING

100% polyester core/100% polyester wrap thread

MILITARY CREASES

Two stitched military creases in front and three in back

L/S & S/S NAVY UTILITY SHIRTS

Color: Dark Navy Blue

65% polyester/35% combed cotton

2 x 1 Twill with engineered stretch

86 warp x 52 filling

Pre-cured, wrinkle resistant

Gusseted fit, designed to accommodate body armor

Convertible collar - 3 1/4" long at points, topstitched 3/16" from edge

Left front (men) right front (women) self fabric center pleat 1 1/2" wide with

2 rows of stitching 1" apart and 7 buttonholes

Interlined with 250 denier Dacron polyester

Top buttonhole horizontal and 5/8" below the neck seam

Other buttonholes vertical 2 1/2" between the first and second

3 1/2" spacing between remainder

Melamine buttons (include a spare) are stitched to the front

Front to have 3" turn back

One military crease in each front goes through pocket and pocket flap

Shoulder straps die cut and interlined with 250 denier Dacron polyester

Topstitched 1/4" from edge and has buttonhole

Sewn into sleeve head seam and 2 1/8" wide tapering to 1 5/8" at pointed end

Set 1/2" from neck seam with lower edge 1/2" below shoulder joining seam

X-stitched to shoulder, 2" from sleeve seam, fastens to shoulder with button

2-ply inside sling 1" wide, extending from shoulder joining seam into pocket of

Left front, 2 small uncut horizontal buttonholes 1 1/2" above pocket flap

Spaced 1 5/16" apart and centered

POCKETS

2 patch pockets 1 3/8" stitched box pleats and mitered pockets

Die cut and finish 5 1/2" wide and 6" long

Left pocket sewn pencil stall 1 1/2" wide

Velcro hook fasteners 3/4" wide and 3/4" long stitched on upper corners

Secure Velcro loop fasteners on flaps

Die cut flaps and scalloped 5 3/4" wide 2 1/2" long at center and 2 1/8"

Each side; interlined with 250 Dacron polyester, topstitched 1/4" from edges

One centered uncut buttonhole with button

Flaps set with 1/2" space between pocket and flap

Left flap to have hidden pencil opening 1 3/8" wide, bar tacked at each end

Velcro loop fasteners 3/4" wide 3/4" long

SLEEVES

Short sleeve have 1" hems - men's size 16 finishes 10: from shoulder seam

Long sleeves have 2 wrist pleats and 4 1/2" vent openings

1" wide top and bottom plackets

One centered button and buttonhole

COMPANY NAME: _____

SPECIFICATIONS BY GROUP

Top vent has 1 1/2" outline reinforcement stitch
Cuffs have rounded corners, interlined with 250 denier Dacron polyester
Cuffs close with 2 buttons and buttonholes
3" wide and have 3/16" topstitching on edges

SIDE GUSSETS

Extends from sleeve opening to shirt hem, measures 4" at each end and
Widens in the armhole, set with double needle stitching

BACK

Two piece yoke, 3" at center and 3 1/4" at ends, 1/16" topstitch on lower edge,
Three military creases in back of shirt

BUTTONS

20-ligne melamine button to match fabric color

STITCHING

Stitched with 100% polyester core/100% polyester wrap thread, visible
Stitching must be 10-12 stitches per inch.

L/S & S/S POLYESTER LT GREEN UNIFORM SHIRTS

Color: GREEN

EPAULETS: Spruce Green

FABRIC

65% polyester / 35% cotton

Preshrunk positive release finish

FRONTS

Left front - self fabric center pleat 1 1/2" wide from collar band to bottom
of shirt, two rows of stitching, center pleat lined with 100% polyester

Right front - 1" wide button stay from collar band to bottom of shirt
buttons securely attached to button stay and correspond to buttonholes
on center pleat

1 front and 3 back, sewn in military creases

COLLAR

Die cut, 1 1/2" back of stand, points wide spread, 3 1/4" length,

Topstitched 1/4" from edge. Interlining 1005 polyester

Permanent collar stays sewn inside collar, no stitches made thru bottom leaf

YOKE

Two piece 3 3/4" at bottom center of band

SLEEVES - long

Straight and whole, sleeve vent shall top facing 1 1/4" wide finished at
top with neatly blocked point. Lower facing 1/2" width, sleeve placket - one

button and buttonhole 2 1/2" above top of cuff

Sleeves secured to body by with edge and safety stitch, same on side closing
seam

SLEEVES - short

One piece, 1" hem, 9 1/2" to 9 3/4" long from shoulder seam

Setting and closing done with over edge and safety stitch

Bar tacked at hem

COMPANY NAME: _____

SPECIFICATIONS BY GROUP

CUFFS

Barrel type 3" wide with rounded corners, topstitched 1/4" around edge
Button on cuff evenly spaced, die cut, attached by double stitching 1/4"
apart visible on outside of cuff

POCKETS

Two breast pockets with mitered corners, 5 1/2" wide, 5 3/4" long.
Left pocket to have pencil opening 1 3/8", pockets 1 1/2" box pleat
Stitched top and bottom, Velcro edges

FLAPS

Die creased, scalloped to finish 5 3/4" width, 2 1/2" length at the sides
2 3/4" at center, flaps secured to front of shirt 1/2" above top of pocket
Left flap to have pencil opening 1 3/8" width, Velcro on corners to correspond
with Velcro on pockets, flap lined with good grade and quality interlining

BADGE TABS

Sling type of self goods 1 1/2" wide to extend from joining seam to pocket
of left front, two small uncut buttonholes 1 1/4" apart with lower button-
hole 1 1/4" above flap

SHOULDER STRAPS

Sewn into sleeve head seam, 2" tapering to 1 1/2" with end pointed
Straps set 1" from collar seam, box stitched to shoulders with a row
of cross stitching 2" from sleeve head and diagonally sewn from each end
of seam to sleeve. 100% polyester interlining

COLLAR STAYS

Good quality staler vinyl of proper length

INTERLININGS

Collar, center facing, flaps, straps - 100% polyester

SIZE MARKING

Size tab sewn in neck label to inside yoke

BUTTONS

Thermosetting polyester material - matches fabric

PRESSING AND PACKING

Carefully pressed by hand in first class manner, shipped in strong boxes
Packed each in polyethylene bags

L/S & S/S POLYESTER LT BLUE UNIFORM SHIRTS

Color: Light Blue

EPAULETS: Navy Blue

FABRIC

65% polyester / 35% cotton

Preshrunk positive release finish

FRONTS

Left front - self fabric center pleat 1 1/2" wide from collar band to bottom
of shirt, two rows of stitching, center pleat lined with 100% polyester

Right front - 1" wide button stay from collar band to bottom of shirt
buttons securely attached to button stay and correspond to buttonholes
on center pleat

1 front and 3 back, sewn in military creases

COLLAR

Die cut, 1 1/2" back of stand, points wide spread, 3 1/4" length,

Topstitched 1/4" from edge. Interlining 1005 polyester

Permanent collar stays sewn inside collar, no stitches made thru bottom leaf

COMPANY NAME: _____

SPECIFICATIONS BY GROUP

YOKE

Two piece 3 3/4" at bottom center of band

SLEEVES - long

Straight and whole, sleeve vent shall top facing 1 1/4" wide finished at top with neatly blocked point. Lower facing 1/2" width, sleeve placket - one button and buttonhole 2 1/2" above top of cuff

Sleeves secured to body by with edge and safety stitch, same on side closing seam

SLEEVES - short

One piece, 1" hem, 9 1/2" to 9 3/4" long from shoulder seam

Setting and closing done with over edge and safety stitch

Bar tacked at hem

CUFFS

Barrel type 3" wide with rounded corners, topstitched 1/4" around edge

Button on cuff evenly spaced, die cut, attached by double stitching 1/4" apart visible on outside of cuff

POCKETS

Two breast pockets with mitered corners, 5 1/2" wide, 5 3/4" long.

Left pocket to have pencil opening 1 3/8", pockets 1 1/2" box pleat

Stitched top and bottom, Velcro edges

FLAPS

Die creased, scalloped to finish 5 3/4" width, 2 1/2" length at the sides

2 3/4" at center, flaps secured to front of shirt 1/2" above top of pocket

Left flap to have pencil opening 1 3/8" width, Velcro on corners to correspond with Velcro on pockets, flap lined with good grade and quality interlining

BADGE TABS

Sling type of self goods 1 1/2" wide to extend from joining seam to pocket of left front, two small uncut buttonholes 1 1/4" apart with lower buttonhole 1 1/4" above flap

SHOULDER STRAPS

Sewn into sleeve head seam, 2" tapering to 1 1/2" with end pointed

Straps set 1" from collar seam, box stitched to shoulders with a row of cross stitching 2" from sleeve head and diagonally sewn from each end of seam to sleeve. 100% polyester interlining

COLLAR STAYS

Good quality staler vinyl of proper length

INTERLININGS

Collar, center facing, flaps, straps - 100% polyester

SIZE MARKING

Size tab sewn in neck label to inside yoke

BUTTONS

Thermosetting polyester material - matches fabric

PRESSING AND PACKING

Carefully pressed by hand in first class manner, shipped in strong boxes

Packed each in polyethylene bags

COMPANY NAME: _____

SPECIFICATIONS BY GROUP

L/S & S/S KHAKI COTTON SHIRTS

Color: Khaki

Two button-down flap front pockets

Shoulder epaulets

Stain release finish

Finish moves moisture away from body

Extra long tails

Full cut

65 % Polyester/35% Cotton

L/S & S/S OXFORD SHIRTS - LT BLUE

60% cotton/40% polyester

Color: Light Blue

Button down collar shirt

Short sleeve, one pocket

Long sleeve, two pockets

Monogram left chest

Supervisors - monogram right and left chest

L/S - S/S TRU SPEC OD GREEN SHIRTS

65% polyester/35% combed cotton

Color: OD Green

Mandarin collar

Zippered front closure

Elbow pouch for padded inserts

Tilted chest pockets

Pen pocket on sleeve

Shoulder pockets

Includes 3 pieces of hook and loop that can be sewn on if needed for nametapes

L/S & S/S NAVY POLO SHIRTS

Color: Navy Blue

100% cotton

Pique Knit

Hidden Pencil Pockets

No Roll Collar

Permanent color stay

L/S & S/S RED 5.11 POLO W/EMBROIDERED EMBLEM SHIRTS

Color: Red

100% cotton

Pique Knit

Hidden Pencil Pockets

No Roll Collar

Permanent color stay

COMPANY NAME: _____

SPECIFICATIONS BY GROUP

S/S POLO SHIRTS - WHITE

Color: White
100% cotton
Pique Knit
Hidden Pencil Pockets
No Roll Collar
Permanent color stay

All uniform Utilities will have - add cloth name strip, emblems sewn on chest and department patches on both sleeves

All Polyester Uniforms will have emblems sewn on and department patches on both sleeves

Group 3
SWEATERS
Male and Female
L/S=LONG SLEEVE

SWEATER

Color: NAVY BLUE
V-neck cardigan, hemmed bottom
2 pockets
Design: Button front
100% acrylic

Group 4
TROUSERS AND PANTS
Male and Female

POLYESTER CUSTOM SPD STRIPED TROUSERS - NAVY

Color: NAVY BLUE
100 % Polyester
Fabric: Milliken, Style 7056
Uniform Pattern - plain front with straight side pocket
Side pocket - min. 6" opening - 6" deep from the bottom of opening
Two back pockets - min. 5 1/4" opening - 6" deep
Pockets finished on outside with an exposed top and bottom cord topstitched
Left back pocket shall have a tab to button, bar tacked
Pocketing shall be black, 75% poly/25% cotton with a min. thread count of 86x56.
Pocketing shall harmonize with outer fabric
2" wide waistband to be constructed using "closed method", closure to be crush proof hook and eye which shall be reinforced with stays.
Waistband topstitched 1/16" below seam
Upper waistband curtain to be inter-lined with stretch ban-rol canvas. Cut 1 1/2" wide and have a 10% stretch
Bottom waistband a blend 32% nylon, 38% poly, 18% rubber, 11% lycra and 1% acrylic - min. 40% stretch
Right fly and crotch linings shall be same fabric and color as waistband curtain, right fly shall be sewn to the left fly below the zipper
Separate french fly made of the outer fabric shall be sewn to inside right fly
Min. 5 belt loops under size 30, min. 7 belt loops over size 30
Belt loops shall be 3/4" wide to accommodate a 2" belt
YKK #45 brass zipper

COMPANY NAME: _____

SPECIFICATIONS BY GROUP

STRIPE: 1 1/2" cadet grey stripe sewn into each side seam of the trouser from the bottom of the waistband to the unfinished bottom of the trouser leg with no exposed stitching
Trouser seamed with polyester core thread - all exposed seams to be serge
Trousers pressed completely and properly with the side seam, inseam and seat seam pressed open.

**POLYESTER MENS CUSTOM SPD STRIPED TROUSERS - NAVY
- TAYLORED - MOTORCYCLE**

Color: NAVY BLUE

100 % Polyester

Fabric: Milliken, Style 7056

Uniform Pattern - plain front with straight side pocket

Side pocket - min. 6" opening - 6" deep from the bottom of opening

Two back pockets - min. 5 1/4" opening - 6" deep

Pockets finished on outside with an exposed top and bottom cord topstitched

Left back pocket shall have a tab to button, bar tacked

Pocketing shall be black, 75% poly/25% cotton with a min. thread count of 86x56.

Pocketing shall harmonize with outer fabric

2" wide waistband to be constructed using "closed method", closure to be crush proof hook and eye which shall be reinforced with stays.

Waistband topstitched 1/16" below seam

Upper waistband curtain to be inter-lined with stretch ban-rol canvas. Cut 1 1/2" wide and have a 10% stretch

Bottom waistband a blend 32% nylon, 38% poly, 18% rubber, 11% lycra and 1% acrylic - min. 40% stretch

Right fly and crotch linings shall be same fabric and color as waistband curtain, right fly shall be sewn to the left fly below the zipper

Separate french fly made of the outer fabric shall be sewn to inside right fly

Min. 5 belt loops under size 30, min. 7 belt loops over size 30

Belt loops shall be 3/4" wide to accommodate a 2" belt

YKK #45 brass zipper

STRIPE: 1 1/2" cadet grey stripe sewn into each side seam of the trouser from the bottom of the waistband to the unfinished bottom of the trouser leg with no exposed stitching
Trouser seamed with polyester core thread - all exposed seams to be serge
Trousers pressed completely and properly with the side seam, inseam and seat seam pressed open.

Custom Fitted and tapered

COMPANY NAME: _____

SPECIFICATIONS BY GROUP

NAVY UTILITY TROUSERS

Color: NAVY BLUE

65% polyester/35% combed cotton

2 x 1 Twill with engineered stretch

Pre-cured, wrinkle resistant, external hydrophobic resistance to water based liquids

UPF 40+ rating

POCKETING & LINING

70% polyester/30% cotton

Plain weave

Color: BLACK

DESIGN

Uniform trouser with a plain front and two quarter top pockets

Cell phone pocket

Two side cargo pockets

Topstitched back pockets with triangle bar tacks, left pocket - tab to button

Zipper fly front with french fly

Two inch expandable waistband with dropped belt loops

Straight leg bottoms

Creaset Super Silicone creases

Trousers shall be made from a men's relaxed fit uniform trouser pattern

POCKETS

Quarter top style, min. 6 1/2" opening and 6" depth

Measured from bottom of opening

Front pocket bags are double tipped and shall be stitched, turned and re-stitched

Inside front pocket facing shall be separate piece of self material finishing 1 1/4" wide

Cell phone pocket inside the left front pocket shall have 7" invisible zipper

Front pocket shall have straight bar tack top and triangle bar tack bottom of opening

Double-compartment cargo pocket with flap centered on out seam, 9 1/2" below waist

Seam, each cargo pocket measures 7" wide x 7 3/4" long and mitered corners

Front compartment has 1 1/2" stitched box pleat

Top of flap stitched to pocket has horizontal bar tacks in upper corners

Flap closes with three pieces of Velcro loop: 1" x 1" in each lower corner and 1 x 1 1/2"

at point to match Velcro hook placement on pockets

Back compartment is accessed by hidden 6" nylon zipper 1 1/8" behind and below

Upper edge of flap

Both zippers open in front-toward-back direction

Back pockets have 5 1/2" opening, 6" deep. Topstitched on outside with exposed top

and bottom welt inside facing

Left pocket shall have a tab to button

Back pockets shall have triangle bar tacks on end of openings

WAISTBAND

2" wide expandable waistband, on front panel has an extension that joins to the inside of the back waistband with heavy-duty hidden elastic

Should expand and contract 2 to 4 inches as necessary

Waistband is stabilized with fusible nonwoven interlining, shall have two crushproof

Hooks and eyes reinforced with canvas stays, bar tack behind each eye

Waistband curtain finishes 2 5/8" wide, upper 1 1/8" wide bias cut pocketing fabric with

1/16" topstitching and 3/4" wide stretch canvas, lower portion 1 1/2" wide woven

Elastic to insure shirt tail "tuck", waistband curtain closed by stitching below the

Waistband through the outer fabric and curtain

BELT LOOPS

Seven 1" wide belt loops, double thickness, canvas interlining, stitched 1/4" gauge

Twin needle, except for center back loop, all stitched into the waistband curtain seam

Tacked 1/4" below the waistband. Center back loop tacked to outside of waistband,

Folded over the tacking with bottom tacked 1/4" below waistband, shall accommodate

COMPANY NAME: _____

SPECIFICATIONS BY GROUP

2" belt

FLY

YKK brass memory lock zipper, brass bottom stop, brass ratcheting cam lock slider

Fusible nonwoven interlining, right fly has french fly extension, lined with pocketing

Fabric extending from top of waistband to inseam. Matching button stitched to

Left waistband curtain to fasten the french fly

Straight bar tack stitched at bottom of fly from outside through zipper tape, right and left

Fly and right fly lining. Right and left fly joined by additional bar tack located below

bottom zipper stop on inside of trousers, zipper and fly topstitching extend to top of waistband

INSIDE TRIM

Right fly lining extension stitched to front seat seam

DIAMOND GUSSET

One piece Diamond gusseted Crotch construction

Raw edges must be serged prior to setting gusset, then topstitched 1/16" from edges

CREASING

Front and rear creases in trouser legs permanent modified "super silicone"

Crease produced by CREASET system specially formulated with high tech treatments

STITCHING

100% polyester spun thread

Colorfast and match fabric, 10-11 stitches per inch, exposed inside seams to be serged

seat seam must be stitched with tandem needle, min 2 3/4" seat outlet for alterations

PRESSING AND FINISHING

Loose threads removed, pressed and properly shaped with all seams pressed open

Texpak clip attached to waistband of finished trousers

LABELING

Labeled with manufacturer, style number, size, fiber content, care instructions, RN number and country of origin.

SIZES

Unhemmed - in regular rise length (men's)- waist 28 - 60, odd waist through 37

Unhemmed - in regular rise length (women's) 2-24 even sizes only

POLYESTER CUSTOM TROUSERS - GREEN

Color: GREEN

65% polyester/35% cotton

2 x 1 left hand twill weave

DESIGN

Uniform pattern with plain front with quarter top drop front pockets and two

back pockets

POCKETS

Front pocket opening 6" and 6" deep from bottom of opening

Stitched, turned and restitched, inside front pocket facing self material finishing 1 1/4"

wide, back pockets opening 5 1/4" and 6" deep. Finished on outside with exposed

top and bottom cord topstitched, left back pocket has tab to button, front pocket

at bottom and back pockets - triangular bar tacked

POCKETING

Black, 75% polyester/25% cotton with min thread count 86x56, shall harmonize

with outer fabric

WAISTBAND

2" wide closed with crushproof hook and eye, eye being bar tacked, waistband

curtain, snugtex and black 75% polyester/25% cotton, Ban-rol waistband stiffener

3/4" width, sewn on front of trouser from side seam to side seam, continuous closed

waistband

INSIDE TRIM

COMPANY NAME: _____

SPECIFICATIONS BY GROUP

Right fly shall be fabric and color as waistband curtain, right fly lining sewn to left fly below the zipper, separate french fly of outer fabric sewn to inside right fly

BELT LOOPS

5 belt loops and 7 on sizes over 30, 3/4" wide, double thickness and stitched on face side with a 2 needle machine. Loops to be sewn into center of waistband and into rocap and bar tacked 1/4" below waistband to accommodate 2" belt. Center back loop to be tacked on.

ZIPPER

YKK #45 brass zipper, brass bottom stop at base of chain and brass ratcheting semi-auto-lock slider, straight bar tack sewn through outside to inside at bottom of fly, sewn through zipper tape, right and left fly and the right fly lining. Right and left fly joined by additional bar tack below bottom zipper stop on inside of trouser

SEAMING

Seamed with polyester core thread, seat seam stitched with a tandem needle seat seaming machine, exposed inside seams serged

SIZE TAB

Sewn in label giving care instruction, permanent size label on inside hip pocket

FINISHING AND PRESSING

Loose threads removed, pressed completely and properly with seams open

KHAKI RECRUIT TROUSERS

Dickies Original Work Pant

Permanent crease

Tunnel belt loops

Scotchgard stain release finish

POLYESTER TROUSERS - NAVY

Color: NAVY BLUE

100% polyester

2 x 1 right hand twill weave

DESIGN

Uniform pattern with plain front with quarter top drop front pockets and two back pockets

POCKETS

Front pocket opening 6" and 6" deep from bottom of opening

Stitched, turned and restitched, inside front pocket facing self material finishing 1 1/4" wide, back pockets opening 5 1/4" and 6" deep. Finished on outside with exposed top and bottom cord topstitched, left back pocket has tab to button, front pocket at bottom and back pockets - triangular bar tacked

POCKETING

Black, 75% polyester/25% cotton with min thread count 86x56, shall harmonize with outer fabric

WAISTBAND

2" wide closed with crushproof hook and eye, eye being bar tacked, waistband curtain, snugtex and black 75% polyester/25% cotton, Ban-rol waistband stiffener 3/4" width, sewn on front of trouser from side seam to side seam, continuous closed waistband

INSIDE TRIM

Right fly shall be fabric and color as waistband curtain, right fly lining sewn to left fly below the zipper, separate french fly of outer fabric sewn to inside right fly

COMPANY NAME: _____

SPECIFICATIONS BY GROUP

BELT LOOPS

5 belt loops and 7 on sizes over 30, 3/4" wide, double thickness and stitched on face side with a 2 needle machine. Loops to be sewn into center of waistband and into rocap and bar tacked 1/4" below waistband to accommodate 2" belt. Center back loop to be tacked on.

ZIPPER

YKK #45 brass zipper, brass bottom stop at base of chain and brass ratcheting semi-auto-lock slider, straight bar tack sewn through outside to inside at bottom of fly, sewn through zipper tape, right and left fly and the right fly lining. Right and left fly joined by additional bar tack below bottom zipper stop on inside of trouser

SEAMING

Seamed with polyester core thread, seat seam stitched with a tandem needle seat seaming machine, exposed inside seams serged

SIZE TAB

Sewn in label giving care instruction, permanent size label on inside hip pocket

FINISHING AND PRESSING

Loose threads removed, pressed completely and properly with seams open

COTTON TROUSERS

COLOR: NAVY

100% Cotton

3/4" wide Belt loops (lined)

Triple-row Rubberized waistband

2" Waistband to accommodate 1 3/4" wide Belts.

Two Quarter front pockets & two back pockets.

Bar tack reinforcements at all stress points

Soil and Stain-resistant finish. Breathable fabric.

Brass ratcheting zipper and crush proof hook and eye closure

Quarter-top front pockets

Double welt top stitched hip pockets with triangle bar tacks and button tab

Left pocket closure

Bar tacks at all stress points

TRU SPEC OD GREEN TROUSERS

6 pockets (2 jumbo pockets on legs)

Reinforced knee and buttock areas

Adjustable waist straps and draw strings at the cuff of each pant leg

BIKE SHORTS

Color: NAVY BLUE

Design: 6½" or 8" inseam as required

2 1/4" wide elastic waistband with drawstring waist

4 Velcro keepers

2 front bellows pockets with pocket flaps

Two side pockets with pencil pocket

Back patch pocket with pocket flap

Windproof and water resistant

COMPANY NAME: _____

SPECIFICATIONS BY GROUP

KHAKI UTILITY TROUSERS

Color: Khaki
5.11 Tactical
Pant Tactical
strap Slash
pockets Double
thick seat
Double knee construction
100% cotton canvas
Scotchgard™ stain release

Group 6
COATS AND JACKETS

WINTER COATS

All weather/All Season
Color: DARK NAVY
2 ply air texturized nylon with a durable water repellent
finish Shell lower body and upper yoke lining 100%
polyester Waterproof, windproof, and breathable laminate
Sealed with 1" compatible sealing tape
All stitching shall be sealed with waterproof tape
Double storm flap over front zipper
Outside fly shall 26 1/2" long by 23 1/2" wide
Storm flap shall be interlined and lined with lining material

RAIN SUIT

Color: GREEN
SPIEWAK S308V Hi-Viz Jacket with:
4" x 1.5" black block lettering "POLICE" on right chest
9.5" x 2.5" Black Block lettering "POLICE" on back

SPIEWAK S205V Hi-Viz Green.