



CITY OF SUFFOLK

P.O. BOX 1858, SUFFOLK, VA, 23439-1858, T: (757) 514-7520; FAX (757) 514-7524

ADDENDUM NO. 3

**City of Suffolk
IFB #16008-JS
September 8, 2015**

**Purchasing Division
442 Market Street, Room 1086
Suffolk, VA 23434-5237
Phone: (757) 514-7520 / Fax: (757) 514-7524
<http://www.suffolkva.us/purchasing>**

The Invitation for Bids (IFB) for IFB 16008-JS Pump Station # 12 Replacement for the Department of Public Utilities has been amended as follows:

New Bid Due Date: September 10, 2015 at 3:00 PM

The new bid opening dates supersedes the previous due date.

REVISIONS TO CONTRACT PROJECT MANUAL:

1. Section 02200, DELETE Paragraph 1.01C. in its entirety and REPLACE with the following:

C. All excavated materials shall be unclassified, as described in Paragraph 3.03 EXCAVATION AND SUBGRADE PREPARATION. The Engineer will determine whether excavated materials are suitable or unsuitable, for disposal at the onsite Temporary Soil Stockpile Area for use by the Site Contractor. Unsuitable material as it is brought out of the excavation shall be hauled away for disposal at an approved disposal area and paid for in Pay Item No. 9.


2. Section 02200, Paragraph 3.03 B., DELETE the last sentence.

“All excavation shall be removed from the site and placed in the soil stockpile area shown on the Drawings, at no additional cost to the City.”

3. Section 02200, DELETE Paragraph 3.10.D.1 in its entirety and REPLACE with the following:

1. Asphalt Concrete Surface Course:
2 inches of VDOT Superpave SM-12.5A, PG 64-22 Binder, Level 2

Contract Officer:


Jay Smigielski, Purchasing Agent

Receipt of Addendum shall be acknowledged on the BID FORM. Failure to acknowledge addendum will be justification for deeming the proposal non-responsive.

All other specifications, provisions, terms and conditions are unchanged.

If you have any questions regarding this Addendum, please contact Jay Smigielski, Purchasing Agent at jsmigielski@suffolkva.us